

FIG. 1




FIG. 2




FIG. 3




FIG. 4

WO 2005/022292 PCT/US2004/014025 `




FIG. 5




FIG. 6




FIG. 7





FIG. 8









FIG. 9





12/21

<u>160</u>






FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17

18/21




FIG. 18




FIG. 19




FIG. 20

21/21

79, 104

37

38

DOWNLOAD POSITION AND TIME:

TRACKER TAG ID=123456789: # CHANGE IN STATE CONDITION; CISC POSITION: 4 CISC TIME; CISC VIBRATION::TRANSITION ENGINE OFF TO RUNNING; 6 CISC VIBRATION::TRANSITION ENGINE RUNNING TO OFF AND REMAINING 7 OFF 10 MINUTES; CISC TEMPERATURE:: RISING TRANSITION TO > 40 F: 9 CISC TEMPERATURE:: FALLING TRANSITION TO < 40 F AND REMAINING < 40 F 5 MINUTES; 10 11 CISC SELF-TEST-PASS:: YES; 12 CISC SELF-TEST-FAIL:: YES; CISC PAGE: 13 # DATA ACQUSITION CONDITION; 14 DAC POSITION:: ON VIBRATION CHANGE IN STATE, PERIODIC 10 MINUTES 15 WHILE ENGINE RUNNING: 16 17 DAC TIME:: ON VIBRATION CHANGE IN STATE, PERIODIC 10 MINUTES 18 WHILE ENGINE RUNNING; DAC VIBRATION:: ON VIBRATION CHANGE IN STATE, ALSO ACQUIRE 19 20 POSITION, ALSO ACQUIRE TIME; 21 DAC TEMPERATURE:: ON TEMPERATURE CHANGE IN STATE, PERIODIC 5 22 MINUTES WHILE > 40 F, ALSO ACQUIRE POSITION, ALSO ACQUIRE TIME; 23 DAC SELF-TEST-PASS:: ON SELF-TEST-PASS CHANGE IN STATE, ALSO 24 ACQUIRE POSITION. ALSO ACQUIRE TIME: 25 DAC SELF-TEST-FAIL:: ON SELF-TEST-FAIL CHANGE IN STATE, ALSO 26 ACQUIRE POSITION, ALSO ACQUIRE TIME; 27 DAC PAGE; 28 # DATA DOWNLOAD CONDITION; 29. DDC POSITION: 30 DDC TIME: 31 DDC VIBRATION:: ON VIBRATION CHANGE IN STATE, PERIODIC 8 HOURS 32 WHILE ENGINE RUNNING, ALSO DOWNLOAD ALL: 33 DDC TEMPERATURE:: ON TEMPERATURE CHANGE IN STATE, PERIODIC 5 MINUTES WHILE > 40 F. ALSO DOWNLOAD POSITION AND TIME: 35 DDC SELF-TEST-PASS; 36 DDC SELF-TEST-FAIL:: ON SELF-TEST-FAIL CHANGE IN STATE, ALSO

DDC PAGE:: USER 456 FOR SELF-TEST-FAIL DATA DOWNLOAD CONDITION;

DDC PAGE:: USER 123 FOR ALL DATA DOWNLOAD CONDITIONS;